

● PRINTER RUSH ●

(PTO ASSISTANCE)

S.F.
Plant

Application : <u>10/611,359</u>	Examiner : <u>Para</u>	GAU : <u>1661</u>
From: <u>Lee</u>	Location: IDC <u>FMF</u> FDC	Date: <u>1-7-05</u>

Tracking #: Week Date:

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW		<input checked="" type="checkbox"/> <u>Rees</u>
<input type="checkbox"/> SRFW		<input type="checkbox"/> Other
<input type="checkbox"/> DRW		
<input type="checkbox"/> OATH		
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: ① P10L-85 = incorrect
fee code (1501) for a Plant
Application.
Plants have 1503, 2503 fee codes
Please make all necessary corrections
Thank you Lee

[XRUSH] RESPONSE: Corrected

INITIALS: RS